



# **TUV PL-L**

## TUV PL-L 36W/4P 1CT/25

TUV PL-L lamps are compact UVC (germicidal) lamps used in professional water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-L lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

## **Product data**

General Information				
Cap-Base	2G11 [ 2G11]			
Main Application	Disinfection	Disinfection		
Useful Life (Nom)	9000 h			
System Description	-			
Light Technical				
Color Code	TUV			
Color Designation	- [ Not Specified]			
Depreciation at Useful Lifetime	15 %			
Operating and Electrical				
Power (Rated) (Nom)	36 W			
Lamp Current (Nom)	0.44 A			
Voltage (Nom)	105 V			
Mechanical and Housing				
Cap-Base Information	4 Pins			

UV			
UV-C Radiation	12.0 W		
Product Data			
Full product code	871150062878740		
Order product name	TUV PL-L 36W/4P 1CT/25		
EAN/UPC - Product	8711500628787		
Order code	927903404007		
Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	25		
Material Nr. (12NC)	927903404007		
Net Weight (Piece)	104.000 g		


Datasheet, 2018, August 3 data subject to change

## **TUV PL-L**

### Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.


## **Dimensional drawing**




TUV PL-L 36W/4P

Product	D1 (max)	D (max)	A (max)	B (max)	C (max)
TUV PL-L 36W/4P 1CT/25	18 mm	38 mm	385 mm	410 mm	415 mm

#### Photometric data





TUV

